10

15

20

## WHAT IS CLAIMED IS:

- 1. A micro-array system for a micro amount of biomolecules carrying on a bioreaction in a reaction solution, which comprises:
- a substrate comprising a plurality of micro-wells for receiving the reaction solution;
- a plurality of micro-beads placing in the reaction solution for the biomolecules attached on surfaces thereof; and
- a vibrating module for vibrating the substrate, which makes the biomolecules attached on the micro-beads react evenly.
- 2. The micro-array system according to Claim 1, wherein the biomolecules are selected from the group consisting of nucleic acids, peptides and carbohydrates.
- 3. The micro-array system according to Claim 1, wherein the bioreaction is selected from the group consisting of polymerase chain reaction, nucleic acid-nucleic acid hybridization, protein-protein hybridization, and nucleic acid-protein hybridization.
- 4. The micro-array system according to Claim 1, wherein the substrate is made from silicon.
- 5. The micro-array system according to Claim 1, wherein the micro-beads are magnetic beads.
  - 6. The micro-array system according to Claim 1, wherein the micro-beads are activated with a coupling agent for the biomolecules immobilized thereon.
- 7. The micro-array system according to Claim 6, wherein the coupling agent is 1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide hydrochloride.

10

15

20

- 8. The micro-array system according to Claim 1, wherein the vibrating module is set under the substrate.
- 9. The micro-array system according to Claim 1, wherein the vibrating module comprises an electro-static vibrator.
- 10. The micro-array system according to Claim 1 further comprising a temperature control module for controlling the temperature of the reaction solution.
- 11. The micro-array system according to Claim 10, wherein the temperature control module comprises a temperature sensor, a heater, and a cooler.
- 12. The micro-array system according to Claim 11, wherein the temperature sensor and the heater are a heating/sensing resistor.
- 13. The micro-array system according to Claim 1 further comprising a laser source.
- 14. The micro-array system according to Claim 13 further comprising a lens.
  - 15. The micro-array system according to Claim 1 further comprising a cover plate.
- 16. The micro-array system according to Claim 1 further comprising a signal sensor.
  - 17. A method for a micro amount of biomolecules carrying on a bioreaction in a reaction solution, which comprises:
    - (a) providing a plurality of micro-beads;
    - (b) attaching the biomolecules onto the micro-beads;
- 25 (c) placing the micro-beads with the biomolecules attached thereon

10

15

20

25

in the reaction solution; and

- (d) placing the reaction solution into a plurality of micro-wells of a substrate, wherein the substrate is vibrated by a vibrating module to make the biomolecules attached on the micro-beads react evenly.
- 18. The method according to Claim 17, wherein the biomolecules are selected from the group consisting of nucleic acids, peptides and carbohydrates.
- 19. The method according to Claim 17, wherein the bioreaction is selected from the group consisting of polymerase chain reaction, nucleic acid-nucleic acid hybridization, protein-protein hybridization, and nucleic acid-protein hybridization.
- 20. The method according to Claim 17, wherein the substrate is made from silicon.
- 21. The method according to Claim 17, wherein the micro-beads in step (a) are magnetic beads.
  - 22. The method according to Claim 17, wherein the micro-beads in step (b) are activated with a coupling agent for the biomolecules immobilized thereon.
- 23. The method according to Claim 22, wherein the coupling agent is 1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide hydrochloride.
  - 24. The method according to Claim 17, wherein the vibrating module is set under the substrate.
  - 25. The method according to Claim 17, wherein the vibrating module comprises an electro-static vibrator.
- 26. The method according to Claim 17, wherein the temperature of the substrate is controlled by a temperature control module for

10

controlling the temperature of the reaction solution in the micro-wells.

- 27. The method according to Claim 26, wherein the temperature control module comprises a temperature sensor, a heater, and a cooler.
- 28. The method according to Claim 17, wherein the temperature sensor and the heater are a heating/sensing resistor.
- 29. The method according to Claim 17 further comprising activating the reaction solution with a laser source.
- 30. The method according to Claim 29 further comprising adjusting the laser source with a lens.
- 31. The method according to Claim 17 further comprising applying a cover plate during the bioreaction.
  - 32. The method according to Claim 17 further comprising monitoring the bioreaction with a signal sensor.